Marked-up Copy of Substitute Specification Serial No. 10/030,751 Filed 09 November 2001 Attorney Docket No. COH-12726 Customer No. 7609 Page 1 of 10



MOBILE DATA ACQUISITION DEVICE FOR PROCESSING DELIVERIES

BACKGROUND OF THE INVENTION

FIELD OF THE INVENTION

The present invention generally This invention relates to a mobile data acquisition device to process deliveries and comprising. More specifically, the present invention relates to a mobile data acquisition device including a reader reading machine-readable data apposed to the objects being delivered and an input system receiving data identifying the objects' recipients.

DESCRIPTION OF RELATED ART

are known in the prior art especially as regards courier, express and parcel services. These known mobile data acquisition devices are used by the delivery enterprises to optimize their logistics. Illustratively, when delivering a parcel, the delivery personnel reads data such as a bar code mounted on the parcel or data stored in a transponder, in particular by means of a bar code reader or a transponder reader. This process identifies the delivered object. When transferring the parcel to be delivered, and as regards the mobile acquisition devices of the present state of the art, receipt by the recipient will be confirmed by the recipient by recipient's signing on a pressure-sensitive display. Thereupon, the digitized graphic data relating to this signature are stored and then archived in data processing equipment of the delivery enterprise as proof if needed of delivery.

Marked-up Copy of Substitute Specification Serial No. 10/030,751 Filed 09 November 2001 Attorney Docket No. COH-12726 Customer No. 7609

Page 2 of 10

the drawback in the first place of fairly high complexity in storing the digitized graphic data of the recipient's signature, and that the processing of deliveries, which frequently run to six or seven figures a year, shall will significantly load the delivery enterprise's data processing equipment. Another difficulty concerning the mobile data acquisition devices is that the actual recipient identification does not take place at object delivery, but rather only the comparison of signature with the digital data of the signature provided at delivery can be subsequently carried out. Manifestly Obviously, it is impossible to store all signatures of potential addressees and to compare them with the signature offered at delivery. There follows some uncertainty at delivery whether the person accepting the object is actually its addressee.

Moreover, the digitized signature at the present time lacks legal recognition.

SUMMARY OF THE INVENTION

In light of the above prior art, it is an objective of the present invention to ereate is directed toward creating a mobile data acquisition device which shall that will put little load on subsequent data processing equipment while allowing recipient identification already during delivery of the objects being transferred.

[0005] The above problem is solved in a first disclosure of by the present invention in that the input system is designed as a reader for machine-readable recipient identification. Because the mobile data acquisition of the device of the present invention may be fitted with means reading machine readable identifications such as are available in various forms to almost every natural person in the Western industrialized nations, the expense incurred for data acting as proof of delivery may

Marked-up Copy of Substitute Specification Serial No. 10/030,751 Filed 09 November 2001 Attorney Docket No. COH-12726 Customer No. 7609 Page 3 of 10

require graphics data, but only clear text data. Moreover, machine readable identification allowing identifying the recipient on the spot, then, that when the addressee and the person taking the object are the same, only that information need be stored which relates to the object having been delivered to the identified addressee. Lastly, various machine_readable identifications meet the legal requirements set on identification and, therefore, are legally valid.

[0006] The acquisition device of the <u>first disclosure of the present</u> invention supports the transfer process during collection/pickup, transportation, storage and delivery of boxing, wares and goods inclusive parcels, furthermore letters, written communications and other news.

[0007] In a first advantageous embodiment of the mobile data acquisition device of the <u>present</u> invention, the reader reads magnetic cards, chip cards or transponders. At least as regards the Western industrialized countries, a high proportion of the people that are potential recipients carry magnetic cards, chip-cards/smart-cards or transponders enabling identification. These machine-readable identification are used by their owners within the scope of their business with banks, credit card enterprises and, in the future, in the form of ID chip cards for identification using the internet, as a driver licence license or personal identification with digital signature.

[0008] A number of current machine_readable identifications to prevent misuse are operative only in conjunction with the input of a personal identification code. In order to exploit this additional security also in the mobile data acquisition device of

Marked-up Copy of Substitute Specification Serial No. 10/030,751 Filed 09 November 2001 Attorney Docket No. COH-12726 Customer No. 7609 Page 4 of 10

the invention, said the device provides an input system to enter a personal identification code.

[0009] The above-mentioned widely used machine readable identifications are frequently used for electronic payments. In particular as regards the delivery of COD parcels, the mobile data acquisition device of the invention may be designed in an especially practical application in that it comprises a data processing unit to implement electronic payment. The identification code in the sense of the present invention includes not only a numerical or letter code entered through a keypad, but also biometric information provided by the recipient at delivery. This corroboration of identification using biometric information is already presently available to compare finger prints fingerprints, facial features, timber timber traits er, features of the human eye, and presumable genetic traits, namely the so-called biological bar code, may be checked in the future.

[0010] The above cited biometric identification codes may be used, on one hand, merely in that an ID chip card implements the identification if positive biometric identification takes place, for instance upon applying a finger on a fingerprint sensor on the card. In such case, therefore, a personal identification code is used in the machine_readable data. As a result, subsequent and complex management takes routines are not needed.

[0011] Another approach is to store the identification code by means of the mobile data acquisition device in a central databank which that serves illustratively.

for example, to prevent unauthorized use or to demand further information where high value transfers are involved. For that purpose the procedure-specific data may

Marked-up Copy of Substitute Specification Serial No. 10/030,751

Filed 09 November 2001

Attorney Docket No. COH-12726

Customer No. 7609 Page 5 of 10

be illustratively prestored in the mobile data acquisition device or be radio-

transmitted to it.

[0012] Because implementation of electronic payment in part of the systems

depends, in part, on data comparison with a data processing facility at the related

financial institution, advantageously a mobile radio unit shall be contained in the

mobile data acquisition device of the invention for the purpose of connecting it to

said the data processing facility. This Furthermore, the mobile radio unit furthermore

may be used by the delivery personnel to communicate, for instance, with the

delivery enterprise.

[0013] Following proof of delivery to an identified recipient, it may still be

appropriate or advantageous to provide proof of site of delivery. For that purpose,

the mobile data acquisition device of the invention is also characterized by a further

may include a site-locating unit.

[0014] To preclude mandatory connection at each delivery between the mobile

data acquisition device of the invention and the said delivery enterprise, the device

will advantageously said device shall also include a memory to store in particular

identification-specific data.

[0015] In an especially advantageous design of said the mobile data acquisition

device regarding data transmission from it to a central unit and securing its power

supply, said the device is fitted with a mechanical/electrical interface for connection

to a data exchange station and/or remote control.

[0016] To make easier passing from conventional data acquisition devices of the

state of the art to one of the <u>present</u> invention, the latter in some circumstances may

be advantageously fitted with an input system designed not only as a reader for

Marked-up Copy of Substitute Specification Serial No. 10/030,751 Filed 09 November 2001 Attorney Docket No. COH-12726 Customer No. 7609

Page 6 of 10

machine readable identifications offered by the recipient but furthermore also offering

heretofore known functions, namely a pressure-sensitive display to record client's

signature.

[0017] A second disclosure of the present invention relates to an accessory

module for a mobile data acquisition device used in deliveries. The above discussed

objectives of the invention are met for such an accessory module by said the second

disclosure in that said the module comprises a reader for recipient machine readable

identifications and an interface which that is appropriate for said communicating with

said the device's input system.

[0018] Such an accessory module of the second disclosure of the invention offers

investment protection for the operational deliveries data acquisition devices of the

past, present, and future not yet implementing the present invention. Application of

an accessory module of the second disclosure of the present invention allows

attaining its advantages in that the machine readable reader's acquired

identifications are transmitted through an interface, for instance of the infrared or

radio type, to a matched mobile delivery acquisition device. Obviously too the

accessory module of the second disclosure of the invention may also be

advantageously developed further with respect to the mobile data acquisition device

in the light of the designs described in relation to the first disclosure.

[0019] A number of ways are open to design and further develop the mobile

deliveries data acquisition device of the first disclosure of the invention and the

accessory module for a mobile data acquisition device of the second disclosure of

the invention.

BRIEF DESCRIPTION OF THE DRAWING

Marked-up Copy of Substitute Specification Serial No. 10/030,751

Filed 09 November 2001

Attorney Docket No. COH-12726 Customer No. 7609

Page 7 of 10

[0020] Illustratively such features are stated on one hand in the claims dependent

on claim 1 and on the other hand in the description of an illustrative embodiment in

relation to the drawing.

[0021] The drawing shows in perspective the single Figure of These and further

features of the invention will be apparent with reference to the following description

and drawing, wherein an illustrative embodiment of the invention of a mobile data

acquisition device used in deliveries is shown in a perspective view.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS.

[0022] The illustrative embodiment of the invention of a mobile deliveries data

acquisition device shown in the single Figure comprises a housing 1 fitted with a bar

code reader 2 for the bar-code fitted objects being delivered and, according to the

present invention, with a chip card reader 3 to read a recipient's chip card(s) emitted

from the single Figure (not shown). Obviously and as already mentioned above, the

invention is not restricted to the use of chip cards as machine_readable identification.

Illustratively, a magnetic-strip fitted cash card or a credit card also may be used.

Instead of using bar code readers, one may also use, for instance, scanners or

transponder readers. Easily handled scanners for two-dimensional bar codes are

already in use today.

[0023] When delivering, the delivery personnel as a rule first enters the bar code

on the object being delivered by means of the bar code reader 2 into the mobile data

acquisition device and then inserts a chip card into a slot 4 of the chip card reader 3,

whereupon the recipient is identified for instance using a so-called digital signature.

Marked-up Copy of Substitute Specification Serial No. 10/030,751 Filed 09 November 2001 Attorney Docket No. COH-12726 Customer No. 7609 Page 8 of 10

[0024] Depending on the chip card system being used-, recipient identification additionally may require entering a personal identification code using a typically numeric input unit 5.

[0025] To make delivery easy for the delivery personnel, the embodiment of a mobile data acquisition device of the invention comprises a display 6 allowing reading, for instance, recipient identity confirmation. Depending on the state of the art or applicability, this display may be an LCD screen or touch screen as in present-day so-called palmtops. In such a case the input keyboard could be eptionally eliminated and inputs could be entered using a write pen or finger pressure.

[0026] The single Figure does not show that the illustrative embodiment of a mobile data acquisition device of the invention includes a data processing unit to execute electronic payments. As regards the so-called cash card system, this omitted data processing unit for instance may execute the electronic payment autarkically, that is without entailing a connection to a central data processing equipment (such as relate to gas stations, customer cards, credit cards etc). Depending on circumstance, the generation of paper receipts also may be eliminated.

In case payment takes place through a so-called credit card system, it will be necessary in general to compare the data with those of a central data processing facility in order to attain payment confirmation. To attain this connection to a central data processing facility, the illustrative embodiment shown in the single Figure includes a mobile radio unit comprising a transmitter 7 to form a mobile radio network. This mobile radio unit moreover comprises further includes a microphone 8 and a loudspeaker 9, and, consequently, the said illustrative embodiment of a

Marked-up Copy of Substitute Specification Serial No. 10/030,751 Filed 09 November 2001 Attorney Docket No. COH-12726 Customer No. 7609 Page 9 of 10

mobile data acquisition device of the invention also allows remote voice communication.

[0028] In order to find the place of delivery for the illustrative embodiment of the mobile data acquisition device of the invention and to consummate this delivery, said the device includes a locating system, which in this case is a so-called global positioning system (GPS), not explicitly shown in the single Figure. By means of this locating system, the mobile data acquisition device of the invention is able to retain the site of delivery and to store it in a data memory (also omitted)(not shown), together with the identification specific data.

[0029] Lastly, the illustrative embodiment shown in the single Figure includes a mechanical/electrical interface, not shown in particular, namely a so-called Cradle cradle interface, to set up communication with a data exchange and/or remote control by means of which the mobile data acquisition device is connected, for instance, inside the delivery vehicle. A wireless interface, for instance such as an infrared interface, may also be used exclusively for data exchange.

[0030] The invention relates to a mobile multi-function data acquisition device for delivery of wares and/or cashless money transaction between generally different legal entities (risk transfer).

[0031] The data acquisition device identifies the wares by detecting the apposed bar code or the transponder by means of an integrated scanner. The recipient identifying data are secured by detecting the digital recipient signature of his/her chip card using an integrated chip card reader. Recipient's authority to use the card is ascertained by checking his/her pin code entered on the integrated keypad, or the numerical input at the LCD using a writing pen or by directly touching a touch screen.

Marked-up Copy of Substitute Specification Serial No. 10/030,751 Filed 09 November 2001 Attorney Docket No. COH-12726 Customer No. 7609 Page 10 of 10

The said device's chip card reader also is able to read a credit cards, a cash card, etc. The procedure need not be backed by evidence because already reading the digital signature of these cards or of an additional signature card. The stored data may be transmitted by radio selectively immediately or following collection/storage by several procedures. Alternatively the transmission of a so-called Cradle can be executed in the batch method.



Title: MOBILE DATA ACQUISITION DEVICE FOR PROCESSING DELIVERIES
First Named Inventor: Johannes Van Sinderen
Serial No. 10/030,751
Customer No. 7609; Docket No. COH-12726
Page 1 of 1
ANNOTATED REPLACEMENT SHEET

